

## EAST Search History

| Ref # | Hits   | Search Query                    | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|--------|---------------------------------|---|------------------|---------|---------------------|
| S12   | 108023 | Router                          | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/09<br>12:07 |
| S15   | 49648  | S12 and switch                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/09<br>12:08 |
| S16   | 331    | S15 and (routing adj processor) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/09<br>12:10 |
| S17   | 148    | S16 and @py<"2004"              | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/09<br>13:58 |
| S22   | 5789   | 370/401.cds.                    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/10<br>12:05 |
| S23   | 2455   | S22 and @py<"2004"              | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/10<br>12:06 |
| S24   | 71     | S22 and (routing adj engine)    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/10<br>12:07 |
| S25   | 32     | S24 and @py<"2004"              | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/10<br>12:17 |
| S26   | 347    | 370/461.cds.                    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/05/10<br>12:17 |

|     |      |  |   |     |    |                     |
|-----|------|--|---|-----|----|---------------------|
| S30 | 3    | S23 and layer2                                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:28 |
| S31 | 4427 | 370/389.ccls.                                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:28 |
| S32 | 12   | S31 and layer2                                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:31 |
| S33 | 339  | 370/451.ccls.                                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:31 |
| S36 | 5658 | 370/352.ccls.                                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:33 |
| S37 | 2064 | S36 and @py< "2004"                                | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:33 |
| S38 | 2    | S37 and layer2                                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/10<br>12:33 |
| S39 | 4    | Layer2 with forward\$ adj<br>engine                | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/14<br>17:01 |
| S43 | 1    | Layer2 with (forward\$ adj<br>engine and switch\$) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/14<br>17:02 |
| S44 | 1    | Layer2 with (engine and<br>switch\$)               | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/05/14<br>17:03 |

|     |     |   |   |     |     |                     |
|-----|-----|---|---|-----|-----|---------------------|
| S45 | 0   | Layer2 with rout\$3 adj2 engine   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB                 | ADJ | ON  | 2007/05/14<br>17:04 |
| S46 | 0   | Layer2 with routing adj2 engine   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB                 | ADJ | ON  | 2007/05/14<br>17:05 |
| S47 | 84  | Layer2 and engine   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB                 | ADJ | ON  | 2007/05/14<br>17:08 |
| S48 | 45  | S47 and @py<"2004"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB                 | ADJ | ON  | 2007/05/14<br>17:06 |
| S49 | 4   | Layer2 with engine  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB                 | ADJ | ON  | 2007/05/14<br>17:11 |
| S50 | 8   | Layer2 and (frames adj3 routing)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB                 | ADJ | ON  | 2007/05/14<br>17:11 |
| S51 | 364 | ((round adj robin adj algorithm) same (load adj distribution algorithm)) and ("370"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2007/11/03<br>09:27 |
| S53 | 1   | S51 and ((router near2 (coup1\$3 or connect\$3)) with (switch adj fabric))                                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2007/11/03<br>09:33 |
| S54 | 1   | S51 and ((router near2 (coup1\$3 or connect\$3 or interfac\$3)) with (switch adj fabric))                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2007/11/03<br>09:36 |
| S55 | 8   | S51 and ((router near8 (coup1\$3 or connect\$3 or interfac\$3)) with (switch adj fabric))                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2007/11/03<br>09:37 |

|     |         |   |   |     |     |                     |
|-----|---------|---|---|-----|-----|---------------------|
| S56 | 2       | S55 and @ad< "20031121"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2007/11/03<br>09:37 |
| S57 | 5221751 | layer "3" near4 rout\$5<br>engine and<br>@ad< "20031121"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2008/09/09<br>09:16 |
| S58 | 5       | layer "3" near4 rout\$5<br>engine and<br>@ad< "20031121"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:17 |
| S59 | 73      | layer "3" near4 engine<br>and @ad< "20031121"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:30 |
| S60 | 4       | layer "3" near4 engine<br>and layer "2" engine and<br>@ad< "20031121"                               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:30 |
| S61 | 18      | router same intelligent<br>near4 port and<br>@ad< "20031121"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:42 |
| S62 | 0       | router and intelligent<br>near4 port and decentraliz<br>\$5 near6 process\$5 and<br>@ad< "20031121" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:46 |
| S63 | 87      | router and decentraliz\$5<br>near6 process\$5 and<br>@ad< "20031121"                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:46 |
| S64 | 0       | router and decentraliz\$5<br>near6 process\$5 and<br>intelligent near4 port and<br>@ad< "20031121"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:47 |

|     |     |  |   |     |     |                     |
|-----|-----|--|---|-----|-----|---------------------|
| S65 | 4   | router and decentraliz\$5<br>near6 process\$5 and (rout<br>\$5 or forward\$5) near6<br>engine and<br>@ad< "20031121" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:48 |
| S66 | 4   | router and decentraliz\$5<br>near6 process\$5 and layer<br>"2" and Layer "3" and<br>@ad< "20031121"                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>09:50 |
| S67 | 0   | layer2 near4 engine and<br>@ad< "20031121"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>10:04 |
| S68 | 141 | layer "2" near4 engine<br>and @ad< "20031121"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>10:05 |
| S69 | 2   | layer "2" near4 engine<br>and layer "3" engine and<br>@ad< "20031121"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>10:05 |
| S70 | 12  | forward\$5 same layer "3"<br>near4 engine and<br>@ad< "20031121"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>12:48 |
| S71 | 0   | (layer "3" layer "2") near4<br>engine and<br>@ad< "20031121"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>13:04 |
| S72 | 20  | layer "3" near4 engine<br>and layer "2" near4<br>engine and<br>@ad< "20031121"                                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>13:05 |
| S73 | 0   | forward\$5 near6 layer "3"<br>and forwrd\$5 layer "2"<br>and @ad< "20031121"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>13:19 |

|     |    |  |   |     |     |                     |
|-----|----|--|---|-----|-----|---------------------|
| S74 | 23 | forward\$5 near6 layer "3"<br>and forward\$5 layer "2"<br>and @ad<"20031121" | US-PGRUB;<br>USPAT; USCQR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2008/09/09<br>13:19 |
|-----|----|--|---|-----|-----|---------------------|

9/ 9/ 2008 3:38:48 PM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10720898.wsp